

## C@CdS/埃洛石纳米管复合光催化剂一步热解法的制备及光降解性能

邢伟男<sup>1</sup> 倪良<sup>1</sup> 颜学升<sup>2</sup> 刘馨琳<sup>3</sup> 罗莹莹<sup>1</sup>  
逯子扬<sup>1</sup> 闫永胜<sup>1</sup> 霍鹏伟<sup>1,\*</sup>

<sup>1</sup>江苏大学化学化工学院, 江苏 镇江 212013; <sup>2</sup>江苏贝斯特环保科技工程有限公司, 江苏 镇江 212013;  
<sup>3</sup>江苏大学材料科学与工程学院, 江苏 镇江 212013)


### Preparation of C@CdS/Halloysite Nanotube Composite Photocatalyst Using One-Step Pyrolytic Method and Its Photodegradation Properties

XING Wei-Nan<sup>1</sup> NI Liang<sup>1</sup> YAN Xue-Sheng<sup>2</sup> LIU Xin-Lin<sup>3</sup>  
LUO Ying-Ying<sup>1</sup> LU Zi-Yang<sup>1</sup> YAN Yong-Sheng<sup>1</sup> HUO Peng-Wei<sup>1,\*</sup>


(<sup>1</sup>School of Chemistry & Chemical Engineering, Jiangsu University, Zhenjiang 212013, Jiangsu Province, P. R. China; <sup>2</sup>JiangSu BeiSiTi Environmental Technology Project Co., Ltd., Zhenjiang 212013, Jiangsu Province, P. R. China; <sup>3</sup>School of Material Science and Engineering, Jiangsu University, Zhenjiang 212013, Jiangsu Province, P. R. China)

\*Corresponding author. Email: huopw@mail.ujs.edu.cn; Tel.: +86-511-88790187; Fax: +86-511-88791108.

20120605-xingweinan-juan\_120601144042 #141 RT: 0.31 AV: 1 NL: 2.47E5  
F: [TMS + c ESI Full ms [100.00-800.00]]




20120605-xingweinan\_120601144042 #162 RT: 0.35 AV: 1 NL: 2.50E4  
F: [TMS + c ESI Full ms [100.00-800.00]]



**Fig.S1** Mass spectra of degraded TC

(a) TC; (b) degradation of TC 60 min



**Fig.S2 XRD pattern of photocatalyst after three times photodegradation**