

## 低温合成超导体 $\text{Ba}_{1-x}\text{K}_x\text{BiO}_3$

刘 孟<sup>1</sup> 李国宝<sup>2,\*</sup> 王稼国<sup>1,\*</sup> 廖复辉<sup>2</sup> 林建华<sup>2,\*</sup>


(<sup>1</sup>温州大学化学与材料工程学院, 浙江 温州 325035; <sup>2</sup>北京大学化学与分子工程学院, 北京分子科学国家实验室, 稀土材料化学及应用国家重点实验室, 北京 100871)

## Low-Temperature Synthesis of Superconductor $\text{Ba}_{1-x}\text{K}_x\text{BiO}_3$

LIU Meng<sup>1</sup> LI Guo-Bao<sup>2,\*</sup> WANG Jia-Guo<sup>1,\*</sup> LIAO Fu-Hui<sup>2</sup> LIN Jian-Hua<sup>2,\*</sup>

(<sup>1</sup>College of Chemistry and Materials Engineering, Wenzhou University, Wenzhou 325035, Zhejiang Province, P. R. China; <sup>2</sup>Beijing National Laboratory for Molecular Sciences, State Key Laboratory of Rare Earth Materials Chemistry and Applications, College of Chemistry and Molecular Engineering, Peking University, Beijing 100871, P. R. China)

\* Corresponding authors. LI Guo-Bao, Email: liguobao@pku.edu.cn; Tel: +86-10-62750342; Fax: +86-10-62753541. WANG Jia-Guo, Email: jiagle@126.com; Tel +86-0577-86689379. LIN Jian-Hua, Email: jhlin@pku.edu.cn.



**Fig.S1 Powder X-ray diffraction pattern of  $\text{Ba}_{1-x}\text{K}_x\text{BiO}_3$  with different starting flux composition**